



BLS 5000 full face masks



FEEL FREE
TO BREATHE



BLS 5600

B-Lock full face masks

What's new

INNER HALF MASK

Soft thermoplastic rubber; lower breathing resistance; more ergonomic shape

ANTI-FOG SYSTEM

To avoid visor fogging through the control of the cold and hot air flows inside the mask without surface treatments

FRAME FOR PRESCRIPTION LENSES

Specific frame available as an accessory, to mount prescription lenses.



FEEL FREE
TO BREATHE



BAYONET CONNECTION

Highly intuitive with a quick and safe hold on the mask. Good weight distribution, wide field of vision. Compatible with BLS 200 series filters.

OPTICAL CLASS 1 VISOR

6-POINT HARNESS

High precise adjustment for uniform pressure distribution on the user's face.

No phonic membrane
One size

Note: visor covers available





BLS 5700

B-Lock full face masks

What's new

INNER HALF MASK

Soft thermoplastic rubber; lower breathing resistance; more ergonomic shape

PHONIC MEMBRANE

An aluminum layer enables vocal sound transmission, only on silicone versions.

AVAILABLE IN 3 SIZES

Silicone models (BLS 5700, BLS 5700/C) are available in three sizes: **S/M/L**.

6-POINT HARNESS

High precise adjustment for uniform pressure distribution on the user's face.

FRAME

Specific frame available as an accessory, to mount prescription lenses.



BAYONET CONNECTION

Highly intuitive with a quick and safe hold on the mask and locking feedback for a better weight distribution on the mask and a wider field of vision. Compatible with **BLS 200 series filters**.

OPTICAL CLASS 1 VISOR (EN 166)

No optical distortions. A vitrification treatment on its surface makes it scratch resistant.

ANTI-FOG SYSTEM

To avoid visor fogging through the control of the cold and hot air flows inside the mask without surface treatments.





BLS 5150

Universal full face masks

What's new

INNER HALF MASK

Soft thermoplastic rubber; lower breathing resistance; more ergonomic shape

ANTI-FOG SYSTEM

To avoid visor fogging through the control of the cold and hot air flows inside the mask without surface treatments.

6-POINT HARNESS

High precise adjustment for uniform pressure distribution on the user's face.

ONE SIZE

UNIVERSAL CONNECTION

Standard thread connection according to EN 148-1, universal among all respiratory protection devices. Compatible with **BLS 400 series filters**.


CLASS 3

Greater resistance to radiant heat and flame and usability for firefighting.

OPTICAL CLASS 1 VISOR (EN 166)

Panoramic visual field without optical distortions and scratch resistant.

FEEL FREE
TO BREATHE





BLS 5400

Universal full face masks

What's new

INNER HALF MASK

Soft thermoplastic rubber; lower breathing resistance; more ergonomic shape

ANTI-FOG SYSTEM

To avoid visor fogging through the control of the cold and hot air flows inside the mask without surface treatments.

6-POINT HARNESS

High precise adjustment for uniform pressure distribution on the user's face.

PHONIC MEMBRANE

An aluminium layer enables vocal sound transmission, only on silicone versions.

FRAME

Specific frame available as an accessory, to mount prescription lenses.



UNIVERSAL CONNECTION

Standard thread connection according to EN 148-1, universal among all respiratory protection devices. Compatible with **BLS 400 series filters**.

CLASS 3

Greater resistance to radiant heat and flame and usability for firefighting.

OPTICAL CLASS 1 VISOR (EN 166)

Panoramic visual field without optical distortions and scratch resistant.

AVAILABLE IN 3 SIZES

Silicone model (BLS 5400) is available in three sizes: **S/M/L**.

K-omfort
technology

LiveVisor
technology

ANTIFOG
technology

UNIVERSAL
CONNECTION